

公司简介

青岛骐晟达工贸有限公司位于青岛西海岸，成立于2012年，主要生产和销售摩托车内外胎以及摩托车配件。公司自成立以来，始终以“为客户创造更大的使用效益”为己任不断提高产品质量，随着企业不断发展，生产能力日益扩大，我们愿意本着“真诚合作共同发展”的原则，与国内外朋友真诚合作。

Brief Introduction

QingDao Aaron Industry Co.,Ltd is located at QingDao West coast,was established in2012,we mainly produce and sell motorcycle tires,tubes and spare parts.we always keep the mind"to creat greater benefits for customers",we are keeping to improve our quality.Along with the enterprises's unceasing development, productivity expands day by day.We hope in line with "the sincere cooperation,common development"the principle,cooperate sincerely with the domestic and foreign friends.



MOTORCYCLE TYRE



SIZE
2.50-17
2.50-18
2.75-17

MT001 TT/TL



SIZE
2.75-17

MT001B TT/TL



SIZE
2.25-17
2.50-17
2.50-18
2.75-17
2.75-18

MT002 TT/TL



SIZE
2.25-17
2.50-17
2.75-17
2.75-18
3.00-18

MT002B TT/TL



SIZE
2.50-17
2.50-18
2.75-17
2.75-18

MT003 TT/TL



SIZE
2.75-17

MT004 TT/TL



SIZE
2.75-18
2.75-17

MT005 TT/TL



SIZE
2.25-16
2.50-17
2.75-14
2.75-16
2.75-18
2.75-17
3.00-12
3.00-16
3.00-17
3.00-18
3.25-18

MT006 TT/TL



SIZE
2.50-17
2.50-18
2.75-17
2.75-18
3.00-17
3.00-18
3.50-16
3.50-18

MT007 TT/TL



SIZE
2.50-18
2.75-17
2.75-18
3.00-17
3.00-18

MT008 TT/TL



SIZE
3.00-18

MT008C TT/TL



SIZE
3.00-17

MT008P TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
3.00-17
3.00-18

MT009 TT/TL



SIZE
3.00-17
3.00-18
75-17
2.75-18
4.10-18
90/90-18
110-80-17

MT010 TT/TL



SIZE
3.00-18
3.00-17

MT011 TT/TL



SIZE
2.50-17
2.50-18
2.75-18
3.00-17
3.00-18
3.25-1E
3.50-16
90/90-18

MT018 TT/TL



SIZE
2.75-17
2.75-18
3.00-17
3.00-18

MT019 TT/TL



SIZE
2.50-17
2.75-17
2.75-18
3.00-17
3.00-18
3.50-18
2.75-14

MT020 TT/TL



SIZE
3.00-17
3.00-18
2.75-17
2.75-18
3.50-18

MT012 TT/TL



SIZE
2.75-17
3.25-18
3.50-18
90/90-18

MT013 TT/TL



SIZE
3.00-17
3.00-18
3.25-18

MT014 TT/TL



SIZE
3.00-17
3.00-18

MT020A TT/TL



SIZE
3.00-17
3.00-18

MT020B TT/TL



SIZE
3.00-17

MT021 TT/TL



SIZE
3.00-18

MT014B TT/TL



SIZE
3.00-17
3.00-18
3.25-18
3.50-18

MT015 TT/TL



SIZE
3.00-18
3.50-16

MT015A TT/TL



SIZE
2.50-18

MT022 TT/TL



SIZE
3.25-16
3.50-1E
110/90-16
2.75-17
3.00-17
10/70-17
2.75-18
3.00-18
3.50-18

MT023 TT/TL



SIZE
2.75-18
2.75-19
2.75-21
3.50-18
4.10-18
80/100-14

MT024 TT/TL



SIZE
80/100-14
2.50-17
3.00-17
2.75-18

MT015B TT/TL



SIZE
2.75-18
3.00-17
3.00-18
3.25-18

MT016 TT/TL



SIZE
3.00-17
3.00-1E

MT017 TT/TL



SIZE
3.00-17
3.00-18

MT025 TT/TL



SIZE
3.00-17
2.75-18
3.00-18
4.10-18
2.50-17
2.75-17
3.50-18
4.60-17
2.75-21

MT026 TT/TL



SIZE
4.60-18
4.60-17

MT026B TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
3.00-18
3.50-18

MT027 TT/TL



SIZE
3.00-17

MT028 TT/TL



SIZE
3.50-16
3.00-18

MT028A TT/TL



SIZE
50/90-14
60/90-14
70/80-14
80/90-14

MT035B TT/TL



SIZE
3.00-10
80/90-10

MT035C TT/TL



SIZE
110/80-17

MT036 TT/TL



SIZE
90/90-18
3.00-17

MT029 TT/TL



SIZE
2.50-17

MT029A TT/TL



SIZE
3.00-17
3.00-18
3.25-18
2.75-17
2.50-17

MT030 TT/TL



SIZE
2.50-17
3.00-18

MT037 TT/TL



SIZE
2.25-17

MT038 TT/TL



SIZE
2.25-19
2.50-17
2.75-17

MT039 TT/TL



SIZE
3.25-18

MT031 TT/TL



SIZE
2.50-17
2.75-17
3.00-16
3.00-17
3.00-18
3.25-17
3.75-19

MT032 TT/TL



SIZE
2.75-17
3.00-16
3.00-17
3.00-18

MT032A TT/TL



SIZE
2.25-19

MT039B TT/TL



SIZE
2.75-17 110/90-18
3.00-17 110/100-18
4.60-17 120/80-18
2.75-18 120/100-18
3.25-18 3.0019
3.50/18 110/90-19
4.10-18 2.75-21
4.60-18 3.00-21
100/90-18 80/100-21

MT040 TT/TL



SIZE
130/90-15
120/90-16
4.10-18

MT041 TT/TL



SIZE
2.75-17
2.75-18

MT033 TT/TL



SIZE
2.75-17
3.25-16

MT034 TT/TL



SIZE
2.75-14 45/90-17 90/90-17
50/90-14 50/80-17 100/80-17
60/90-14 50/90-17 110/70-17
70/80-14 60/70-17 110/80-17
70/90-14 60/80-17 130/70-17
80/90-14 60/90-17 130/80-17
80/80-14 70/80-17 2.50-18
80/100-14 70/90-17 2.75-18
90/80-14 80/70-17 80/80-18
90/90-14 80/80-17
100/80-14 90/80-17

MT035 TT/TL



SIZE
110/90-16
110/90-17
2.75-21
3.00-17
3.00-18
3.50-18
100/80-18

MT042 TT/TL



SIZE
2.25-17
2.50-17
2.75-17

MT043 TT/TL



SIZE
2.75-17
80/100-14

MT044 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
110/90-16

MT045 TT/TL



SIZE
110/90-16

MT046 TT/TL



SIZE
110/90-16

MT047 TT/TL



SIZE
90/90-18
100/90-18

MT056 TT/TL



SIZE
90/90-16 90/90-19
110/90-17 2.75-21
120/80-17 3.00-21
4.10-18 80/100-21
120/80-18 90/90-21

MT057 TT/TL



SIZE
110/70-16

MT058 TT/TL



SIZE
110/90-16
110/90-17
90/90-18
100/90-18

MT048 TT/TL



SIZE
110/90-16

MT049 TT/TL



SIZE
110/90-16

MT050 TT/TL



SIZE
4.00-10
130/60-13
120/70-12
100/60-12

MT059 TT/TL



SIZE
120/70-12 100/80-17
130/70-12 110/80-17
130/60-13 120/80-17
2.50/17 2.75-18
2.75-17 90/90-18
3.00-17 100/90-18
90/90-17

MT060 TT/TL



SIZE
3.50-10
90/90-10

MT061 TT/TL



SIZE
3.50-18

MT051 TT/TL



SIZE
3.50-16

MT052 TT/TL



SIZE
3.25-16

MT053 TT/TL



SIZE
3.50-10

MT062 TT/TL



SIZE
3.50-8

MT063 TT/TL



SIZE
3.00-10

MT064 TT/TL



SIZE
3.00-19

MT054 TT/TL



SIZE
3.00-8
3.00-10
3.50-10
110/90-16

MT055 TT/TL



SIZE
3.00-10
3.50-10

MT055A TT/TL



SIZE
110/70-12

MT065 TT/TL



SIZE
3.50-10
130/90-15

MT066 TT/TL



SIZE
130/60-13
120/70-12
130/70-12

MT067 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
4.50-10
5.00-12

MT068 TT/TL



SIZE
4.00-12

MT069 TT/TL



SIZE
80/80-14
80/90-14
80/80-17
80/90-17

MT070 TT/TL



SIZE
4.00-8

MT078B TT/TL



SIZE
4.50-12

MT079 TT/TL



SIZE
4.50-12
5.00-12
4.00-12

MT080 TT/TL



SIZE
135-10

MT071 TT/TL



SIZE
4.00-10
4.50-10

MT071A TT/TL



SIZE
4.00-8

MT072 TT/TL



SIZE
4.00-12
4.50-12
5.00-12

MT080B TT/TL



SIZE
4.50-12

MT081 TT/TL



SIZE
4.00-18

MT082 TT/TL



SIZE
4.00-8

MT073 TT/TL



SIZE
4.00-8

MT074 TT/TL



SIZE
4.00-8

MT075 TT/TL



SIZE
3.00-17

MT083 TT/TL



SIZE
3.50-18

MT084 TT/TL



SIZE
2.50-18
2.75-18
2.75-17

MT085 TT/TL



SIZE
4.00-10

MT077 TT/TL



SIZE
4.00-10

MT078 TT/TL



SIZE
4.00-8

MT078A TT/TL



SIZE
3.00-17
3.00-18

MT086 TT/TL



SIZE
3.00-17
3.00-18
3.00-17 deep
3.00-18 deep

MT087 TT/TL



SIZE
3.00-17
3.00-17 deep

MT088 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
3.00-17
3.00-18

MT089 TT/TL



SIZE
2.75-18
90/90-18

MT090 TT/TL



SIZE
3.00-17
3.00-18

MT091 TT/TL



SIZE
3.00-18
90/90-18
2.75-18
90/90/19
100/90-18
3.50-18
4.10-18

MT99B TT/TL



SIZE
90/90-18

MT100 TT/TL



SIZE
4.00-8

MT101 TT/TL



SIZE
3.00-17

MT092 TT/TL



SIZE
3.00-17
3.00-18
100/90-17

MT093 TT/TL



SIZE
90/100-16
3.00-17
2.50-17
2.50-18
2.75-17

MT094 TT/TL



SIZE
2.50-17
2.50-18
2.75-18

MT102 TT/TL



SIZE
2.50-17
70/90-17
2.50-18

MT103 TT/TL



SIZE
90/90-18

MT104 TT/TL



SIZE
3.00-17
3.00-18

MT095 TT/TL



SIZE
3.00-10
80/90-10
90/90-10

MT096 TT/TL



SIZE
3.50-10
90/90-10
100/90-10

MT097 TT/TL



SIZE
3.60-18

MT105 TT/TL



SIZE
70/90-17
80/90-17

MT105B TT/TL



SIZE
3.50-16
110/90-16
120/90-10
130/90-10
2.75-18
90/90-18
130/80-18

MT106 TT/TL



SIZE
3.50-10
120/90-10
120/70-12
130/70-12
130/60-13

MT098 TT/TL



SIZE
110/90-13

MT098B TT/TL



SIZE
110/90-16
110/90-17
3.00-17
3.50-16
90/90-18
130/90-16
100/90-17
100/90-16
100/90-18
2.75-19
2.75-21
3.00-21
4.10-18

MT099 TT/TL



SIZE
110/70-12
110/70-13
130/70-13
110/90-10

MT106A TT/TL



SIZE
110/80-14
130/80-17

MT107 TT/TL



SIZE
120/90-10
130/90-10

MT108 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
130/70-12
130/60-13
130/70-13

MT109 TT/TL



SIZE
3.00-8
90/90-10

MT110 TT/TL



SIZE
110/90-18

MT110A TT/TL



SIZE
2.50-14
2.75-14
3.00-14

MT119 TT/TL



SIZE
2.75-17
2.75-18
3.00-17

MT120 TT/TL



SIZE
3.50-16

MT121 TT/TL



SIZE
100/80-16 90/90-18
120/80-16 100/80-18
90/90-17 130/90-18
100/80-17
100/90-17
110/90-17
120/70-17
120/80-17
130/70-17

MT111 TT/TL



SIZE
3.00-17
3.00-18

MT111A TT/TL



SIZE
110/80-17

MT112 TT/TL



SIZE
3.00-18

MT122 TT/TL



SIZE
110/90-16

MT123 TT/TL



SIZE
110/90-16
4.10-18
2.75-21

MT123B TT/TL



SIZE
110/90-12
120/70-17
130/70-17

MT113 TT/TL



SIZE
90/90-12

MT114 TT/TL



SIZE
3.00-17
110/90-17
3.00-18
4.10-18

MT115 TT/TL



SIZE
2.75-17
110/90-16

MT124 TT/TL



SIZE
110/90-16
120/90-16
3.00-17
100/90-17
110/90-17
2.75-18
3.50-18

MT125 TT/TL



SIZE
3.00-17

MT126 TT/TL



SIZE
3.00-17
3.00-18

MT116 TT/TL



SIZE
2.75-17

MT117 TT/TL



SIZE
110/90-16

MT118 TT/TL



SIZE
2.75-12

MT127 TT/TL



SIZE
120/70-12 110/90-17
130/70-12 2.75-18
130/70-13 3.00-18
140/60-13 80/90-18
80/100-14 90/90-18
2.50-17 100/90-18
2.75-17 110/80-18
3.00-17
80/90-17
90/90-17

MT128 TT/TL



SIZE
130/60-10
130/90-10
120/70-12
130/70-12

MT129 TT/TL



MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
2.75-17
3.00-17
3.00-18

MT130 TT/TL



SIZE
120/70-12
130/70-12
80/90-14
70/90-17
90/80-17
100/80-17
110/70-17
120/70-17

MT131 TT/TL



SIZE
180/80-14
4.50-17
5.00-17
3.50-18
4.00-18
4.50-18
3.25-19
4.00-19

MT132 TT/TL



SIZE
80/80-14
90/80-14
100/80-14
60/80-17
70/80-17
80/80-17
90/80-17
60/90-17
70/90-17
80/90-17

MT141 TT/TL



SIZE
3.50-10
90/80-14

MT142 TT/TL



SIZE
100/90-17 2.75-17
100/90-18 2.75-18
110/90-18 90/90-18
110/90-17 90/90-18
3.00-18 80/90-17
3.00-17 80/90-18

MT143 TT/TL



SIZE
100/90-16
110/90-16

MT133 TT/TL



SIZE
60/100-17
70/100-17
2.75-17

MT134 TT/TL



SIZE
2.75-18

MT135 TT/TL



SIZE
2.75-18
90/90-18

MT144 TT/TL



SIZE
110/90-16
120/80-16
120/90-16

MT145 TT/TL



SIZE
130/90-10 80/90-17
110/80-14 90/80-17
120/70-14 90/90-17
80/90-16 150/60-17
100/80-17 150/70-17
120/70-17 80/90-18
130/70-17 90/90-18
140/60-17 100/90-18
140/70-17

MT146 TT/TL



SIZE
90/90-18
100/90-18

MT136 TT/TL



SIZE
3.50-16
100/90-16
2.50-17
2.75-17
3.00-17
110/70-17
2.75-18
3.00-18
3.25-18
350-18
3.60-18

MT137 TT/TL



SIZE
3.00-18
3.25-18

MT138 TT/TL



SIZE
2.75-21

MT147 TT/TL



SIZE
90/90-12

MT148 TT/TL



SIZE
100/80-17
90/90-17

MT149 TT/TL



SIZE
90/90-12

MT139 TT/TL



SIZE
4.50-12
5.00-12

MT140 TT/TL



SIZE
4.00-8

MT140B TT/TL



SIZE
110/90-16
90/90-18
2.75-18

MT150 TT/TL



SIZE
3.00-18

MT150B TT/TL



SIZE
90/90-16
80/90-16
90/80-16

MT151 TT/TL



MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
120/90-10
130/90-10

MT152 TT/TL



SIZE
2.75-16
80/90-16

MT153 TT/TL



SIZE
3.00-18

MT154 TT/TL



SIZE
3.00-10

MT165 TT/TL



SIZE
3.50-10

MT166 TT/TL



SIZE
2.50-14
3.00-12

MT167 TT/TL



SIZE
4.60-18
3.00-21

MT155 TT/TL



SIZE
90/90-19

MT156 TT/TL



SIZE
2.50-18
2.75-18

MT157 TT/TL



SIZE
2.75-10
3.00-10
3.50-10
3.50-12

MT168 TT/TL



SIZE
3.50-8
3.00-12

MT169 TT/TL



SIZE
3.00-10

MT170 TT/TL



SIZE
2.75-18
90/90-18
3.00-17
110/90-17

MT158 TT/TL



SIZE
90/90-17
110/70-17
120/80-17
130/70-17

MT159 TT/TL



SIZE
80/90-14
90/80-14
90/90-14
100/80-14
100/90-14

MT161 TT/TL



SIZE
3.50-10
90/90-10
100/90-10

MT171 TT/TL



SIZE
100/80-17

MT172 TT/TL



SIZE
120/70-12

MT173 TT/TL



SIZE
90/90-18

MT162 TT/TL



SIZE
130/90-18

MT164 TT/TL



SIZE
90/90-18
130/90-18

MT164B TT/TL



SIZE
110/90-18

MT174 TT/TL



SIZE
130/70-12

MT175 TT/TL



SIZE
3.50-10

MT176 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
90/70-12
80/90-17
90/80-17
100/80-17
110/80-17

MT177 TT/TL



SIZE
2.75-18
3.00-17
3.00-18

MT178 TT/TL



SIZE
110/70-16
110/70-17
130/70-17

MT179 TT/TL



SIZE
4.60-17
4.10-18
4.60-18
100/90-18
120/90-18

MT189 TT/TL



SIZE
90/90-10

MT190 TT/TL



SIZE
100/60-12
110/60-12

MT191 TT/TL



SIZE
140/60-17
140/70-17

MT180 TT/TL



SIZE
180/50-17
180/55-17

MT181 TT/TL



SIZE
2.50-17

MT182 TT/TL



SIZE
3.00-18

MT192 TT/TL



SIZE
4.10-18
4.60-18
110/100-18
120/100-18

MT193 TT/TL



SIZE
3.00-17
3.00-18

MT194 TT/TL



SIZE
100/80-14
100/90-14
120/70-12
120/70-14
130/70-13
130/60-13
130/70-12

MT183 TT/TL



SIZE
110/70-17

MT184 TT/TL



SIZE
90/90-17

MT185 TT/TL



SIZE
2.75-17
2.75-18
100/90-10

MT195 TT/TL



SIZE
4.10-18

MT196 TT/TL



SIZE
90/90-18

MT197 TT/TL



SIZE
100/80-17

MT186 TT/TL



SIZE
190/50-17
200/50-17
200/55-17

MT187 TT/TL



SIZE
2.50-17

MT188 TT/TL



SIZE
4.50-12
5.00-12

MT198 TT/TL



SIZE
140/60-17
140/70-17
150/60-17

MT199 TT/TL



SIZE
130/80-17

MT200 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
120/80-16
120/90-16

MT201 TT/TL



SIZE
90/90-15

MT202 TT/TL



SIZE
3.00-17
3.00-18

MT203 TT/TL



SIZE
2.75-21
3.00-21
80/90-21
80/100-21¹
90/90-21

MT212 TT/TL



SIZE
80/100-19
70/100-19

MT213 TT/TL



SIZE
3.00-21
2.75-21
80/100-21
90/90-21

MT213B TT/TL



SIZE
110/70-13
110/90-12
130/70-12
130/60-13
130/70-13
120/70-12

MT204 TT/TL



SIZE
90/90-17
100/80-17

MT205 TT/TL



SIZE
80/90-14
2.75-14

MT206 TT/TL



SIZE
3.00-18
140/80-18

MT215 TT/TL



SIZE
140/80-18

MT216 TT/TL



SIZE
120/80-18
3.50-17
110/90-17
90/90-19

MT216B TT/TL



SIZE
90/90-14

MT206B TT/TL



SIZE
3.00-17

MT207 TT/TL



SIZE
60/90-17
70/90-17
80/90-17
90-80-17

MT208 TT/TL



SIZE
4.60-17

MT217 TT/TL



SIZE
3.00-18
3.00-14

MT218 TT/TL



SIZE
2.75-16

MT218A TT/TL



SIZE
3.00-17
3.00-18
2.50-18

MT209 TT/TL



SIZE
3.00-17
3.00-18
2.50-17
2.75-17
2.75-18
2.75-19

MT210 TT/TL



SIZE
4.60-17
90/80-17
4.10-18
4.60-18
100/90-18
110/90-18
2.75-21
80/100-21
110/100-18
120/100-18

MT211 TT/TL



SIZE
2.75-16
2.75-17
3.00-17
2.75-18

MT218B TT/TL



SIZE
110/90-16
3.00-17
3.00-18

MT219 TT/TL



SIZE
110/100-18
120/90-18
120/100-18

MT220 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
4.50-12

MT221 TT/TL



SIZE
4.50-12

MT222 TT/TL



SIZE
4.00-8

MT223 TT/TL



SIZE
2.25-18

MT232 TT/TL



SIZE
4.50-12
5.00-12

MT233 TT/TL



SIZE
4.00-10
3.00-12
3.50-12
3.75-12
4.00-12

MT234 TT/TL



SIZE
4.00-8

MT224 TT/TL



SIZE
4.50-12
5.00-12
4.00-12
3.75-12
3.00-12
3.50-12

MT225 TT/TL



SIZE
5.00-12

MT225A TT/TL



SIZE
130/60-13

MT235 TT/TL



SIZE
3.00-10

MT236 TT/TL



SIZE
2.75-21
4.10-18

MT237 TT/TL



SIZE
120/70-12

MT226 TT/TL



SIZE
5.00-12

MT227 TT/TL



SIZE
120/70-12
130/70-12
120/90-16

MT228 TT/TL



SIZE
3.00-18

MT238 TT/TL



SIZE
4.00-8

MT239 TT/TL



SIZE
90/90-21
80/100-21

MT240 TT TL



SIZE
120/70-12

MT229 TT/TL



SIZE
130/60-13

MT-230 TT/TL



SIZE
130/80-17

MT231 TT/TL



SIZE
4.00-8

MT241 TT/TL



SIZE
100/90-19
110/90-19
110/100-18
120/100-18
120/90-18

MT243 TT/TL



SIZE
120/100-18
140/80-18

MT243A TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
120/80-19
120/90-19

MT243B TT/TL



SIZE
110/70-17
70/90-17
80/90-17
90/80-17
2.50-18
2.75-18
3.00-18

MT244 TT/TL



SIZE
140/80-18

MT245 TT/TL



SIZE
90/90-18
2.75-17
4.60-17
90/90-17
2.75-18
4.10-18
110/80-18

MT253 TT/TL



SIZE
3.60-18
3.00-17
2.50-17
2.75-17
2.75-18
90/90-17
90/90-18
100/90-18

MT254 TT/TL



SIZE
70/100-17

MT255 TT/TL



SIZE
80/10-21
100/90-19
110/90-19

MT245A TT/TL



SIZE
140/80-18

MT246 TT/TL



SIZE
140/80-18

MT246A TT/TL



SIZE
3.00-17
4.10-18
2.75-21
3.00-21

MT256 TT/TL



SIZE
4.10-18

MT256B TT/TL



SIZE
80/90-14

MT257 TT/TL



SIZE
70/100-19
80/100-19
90/100-19

MT247 TT/TL



SIZE
120/90-18
140/80-18

MT248 TT/TL



SIZE
140/80-18
120/90-18

MT248B TT/TL



SIZE
90/90-14

MT258 TT/TL



SIZE
100/90-12
110/90-12

MT259 TT/TL



SIZE
130/70-17
110/70-17
120/70-17

MT261 TT/TL



SIZE
3.50-10

MT249 TT/TL



SIZE
3.00-10
110/70-12

MT250 TT/TL



SIZE
120/70-12
130/70-12
140/70-12

MT251 TT/TL



SIZE
80/90-17
100/90-17
110/90-17
120/80-17
130/80-17
4.10-18
90/90-19
2.75-21

MT262 TT/TL



SIZE
100/80-17
110/70-17
120/70-17
120/80-17
130/70-17
140/60-17
80/90-17
80/80-18
80/90-18
90/90-18

MT263 TT/TL



SIZE
140/70-17

MT264 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
190/50-17

MT265 TT/TL



SIZE
2.25-18

MT266 TT/TL



SIZE
60/70-17
60/80-17
60/90-17
70/80-17
70/90-17
80/80-17
80/90-17
90/80-17
2.50-18
2.75-18

MT267 TT/TL



SIZE
120/80-18
120/90-18
100/90-18
120/100-18

MT277 TT/TL



SIZE
120/100-18
140/80-18

MT278 TT/TL



SIZE
2.25-19

MT279 TT/TL



SIZE
110/90-16
90/90-18

MT268 TT/TL



SIZE
90/90-18

MT269 TT/TL



SIZE
90/90-18

MT270 TT/TL



SIZE
90/90-19

MT280 TT/TL



SIZE
110/90-17
90/90-19

MT281 TT/TL



SIZE
110/90-19
110/100-18

MT282 TT/TL



SIZE
2.50-17
2.75-17
3.00-17
4.10-18

MT271 TT/TL



SIZE
3.00-17
3.00-18

MT271B TT/TL



SIZE
2.50-17
2.75-18

MT272 TT/TL



SIZE
120/80-19
120/90-19

MT283 TT/TL



SIZE
80/100-21

MT284 TT/TL



SIZE
130/80-17
90/90-21
120/80-17

MT285 TT/TL



SIZE
2.75-17
3.00-17

MT273 TT/TL



SIZE
110/90-18

MT275 TT/TL



SIZE
100/90-19
110/90-19
110/100-18
120/100-18
120/90-18

MT276 TT/TL



SIZE
2.75-18

MT286 TT/TL



SIZE
2.75-17
3.00-18

MT287 TT/TL



SIZE
90/90-18

MT288 TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE



SIZE
3.50-17

MT289 TT/TL



SIZE
4.50-12

MT290 TT/TL



SIZE
3.00-10
80/90-10
90/90-10

MT 291 TT/TL



SIZE
80/90-14
90/90-14

MT 302TT/TL



SIZE
110/80-14
130/70-13

MT 301 TT/TL



SIZE
80/100-21

MT 303TT/TL



SIZE
3.00-10
3.50-10

MT292 TT/TL



SIZE
3.00-8

MT 293 TT/TL



SIZE
4.00-10

MT 294 TT/TL



SIZE
110/90-19

MT 304TT/TL



SIZE
90/90-21
90/100-21

MT 305TT/TL



SIZE
3.50-16

MT 306TT/TL



SIZE
80/90-10

MT 295 TT/TL



SIZE
130/60-13 45/90-17
50/90-14 50/100-17
60/80-14 60/80-17
60/90-14 60/90-17
70/80-14 70/80-17
70/90-14 70/90-17
80/80-14 80/80-17
80/90-14 80/90-17
90/80-14 90/80-17
100/80-14 3.00-18
2.75-17

MT 296 TT/TL



SIZE
130/70-12
120/70-12
110/90-12
110/70-13
130/70-13

MT 297 TT/TL



SIZE
90/90-12

MT 307TT/TL



SIZE
3.00-10

MT 311TT/TL



SIZE
90/100-16

MT 314TT/TL



SIZE
60/80-14
70/80-14
70/90-14
80/80-14
80/90-14
90/80-14
90/90-14
100/80-14
110/80-14
110/90-14
120/70-14

MT 298 TT/TL



SIZE
70/100-19
2.75-19

MT 299 TT/TL



SIZE
3.50-16

MT 300 TT/TL



SIZE
3.50-10

MT 315TT/TL



SIZE
3.50-10

MT 316TT/TL

MOTORCYCLE TYRE

MOTORCYCLE TYRE

INNER TUBE

4.00-8	110/90-13	80/100-14	110/90-16	3.00/3.25-17	3.00/3.25-18
3.00-10	130/60-13	3.50-14	5.00-16	3.50-17	3.25-18
3.50-10	2.00-14	4.50/5.00-14	1.75-17	110/90-17	3.50-18
4.00-10	1.85-14	130/90-15	1.85-17	4.60-17	90/90-18
3.00-12	2.25-14	2.50-16	2.00-17	120/80-17	4.10-18
3.50/3.75-12	2.50-14	2.75-16	2.25-17	2.25-18	90/90-19
3.75-12	80/90-14	3.00-16	2.50-17	2.50/2.75-18	3.00-19
4.00-12	2.50/2.75-14	3.25-16	2.50/2.75-17	2.50-18	2.50-21
4.50-12	2.75/3.00-14	3.00/3.50-16	2.75-17	2.75-18	2.75/3.00-21
5.00-12	3.00-14	3.50-16	3.00-17	3.00-18	3.00-21



MT 558 TURF

LAWN & GARDEN

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
9X3.50-4	4PR TL	226	85	300	30	4x2.6"
4.10/3.50-4	4PR TL	268	94	300	24	4x2.6"
10X4-4	2PR TL	262	94	330	30	4x2.6"
11X4.00-4	4PR TL	271	103	330	30	4x2.6"
13x4.00-6	4PR TL	330	99	400	30	6x2.1"
13x5.00-6	4PR TL	322	120	400	40	6x3.5"
13x6.50-6	4PR TL	335	152	365	30	6x4.00"
15x6.00-6	4PR TL	368	157	400	20	6x4"
16x6.50-8	4PR TL	404	160	415	28	8x5.375"
18x6.50-8	4PR TL	460	165	500	30	8x5.375"
18x8.50-8	4PR TL	456	215	815	22	8x7"
18x9.50-8	4PR TL	470	236	1040	24	8x7"
20x8.00-8	4PR TL	498	226	950	22	8x6"
20x10-8	4PR TL	499	246	1190	22	8x7"



MT 558A

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
10X3(300-5)	2PR TL	260	78	110	40	5x2.75"
10.0X3.5	2PR TL	260	88	154	30	6x2.15"



MT 518

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
18X8.50-8	4PR TL	452	218	710	22	8X7"
18X8.50-10	4PR TL	453.5	207	750	22	10X7"
20X10-8	4PR TL	500	242	1200	22	8X8"
20X10-10	4PR TL	500	235	1180	22	10X8"
20X8-10	4PR TL	490	194	810	25	10X7"
22X9.5-12	4PR TL	551	232	1120	20	12X8"
22X11-10	4PR TL	556	280	1350	22	10X8.5"
23X8.5-12	4PR TL	565	217	1120	22	12X7"
23X9.5-12	4PR TL	568	227	1200	20	12X8"
23X10.5-12	4PR TL	578	258	1350	20	12X8.5"
24X9.5-12	4PR TL	600	238	1350	20	12X7"
26X12-12	4PR TL	644	285	1800	20	12X8.5"

MOTORCYCLE TYRE

MOTORCYCLE TYRE



MT 528

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
15x6.00-6	4PR TL	366	155	260	20	6x4.5"
18x8.50-8	4PR TL	450	213	370	22	8x7"



MT 808

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
20x10-8	4PR TL	494	246	1190	22	8x7"



MT 401

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
11x4.00-5	4PR TL	279	104	325	46	5x3"
13X5.00-6	4PR TL	325	123	440	40	6x3.5"
140-6	10PR TL	327	127	815	35	6x3.5"
13X6.50-6	4PR TL	330	146	600	40	6x4.0"
4.00-6	2PR TL	350	98	325	20	6x2.1"
14X400-6	4PR TL	355	100	285	26	6x3.3"
15X6.00-6	4PR TL	363	153	570	30	6x4"
4.00-8	2PR TL	400	100	435	20	8x2.5"
16X6.50-8	4PR TL	404	168	715	36	8x5.375"
18X8.50-8	4PR TL	443	215	815	22	8x7"
26X12-12	12PR TL	640	300	3000	62	12x10.5"



MT 513

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
13x5.00-6	4PR TL	322	122	440	40	6x3.5"
13x6.50-6	4PR TL	333	160	460	28	6x4.5"
15x6.00-6	4PR TL	365	160	570	30	6x4.0"
16x6.50-8	4PR TL	406	160	620	28	8x5.375"
16x7.50-8	4PR TL	450	178	415	22	8x5.375"
18x6.50-8	6PR TL	450	168	815	20	8x5.375"
18x8.50-8	4PR TL	460	210	815	22	8x7.0"
18x8.50-10	4PR TL	455	205	815	22	10x7"
18x9.50-8	2PR TL	460	236	1040	24	8x7.0"
20X6.5-10	4PR TL	498	170	840	24	10x5.5"
20x8.00-8	4PR TL	494	222	905	22	8x5.5"
20x8.00-10	4PR TL	495	215	895	24	10x7.00"
20x10-8	4PR TL	505	244	1190	22	8x7.5"
20x10-10	4PR TL	493	246	1160	22	10x7.00"
22X10-8	4PR TL	526	250	1160	20	8x7"
22x10-12	4PR TL	551	234	1235	22	12x8.5"
22x10.5-12	4PR TL	560	264	1290	22	12x8.5"
22X11-10	4PR TL	545	254	1160	22	10x7"
20x12-10	4PR TL	494	285	1320	20	10x8.5"
24x12-12	4PR TL	606	290	1700	20	12x10.5"
24x12-14	4PR TL	595	290	1700	20	14x9.5"
26x12-12	6PR TL	655	310	3020	50	12x13"



MT 500

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
16x6.50-8	4PR TL	406	160	620	28	8x5.375"
18x7.50-8	4PR TL	457	193	795	24	8x5.375"
18x9.50-8	4PR TL	460	236	1040	24	8x7.5"
20x8-10	4PR TL	510	218	1040	36	10x6"
20x10-10	6PR TL	501	240	1650	40	10x8"
22x8.50-12	4PR TL	550	210	1235	22	12x7"
22x10-12	4PR TL	551	234	1235	22	12x7"
22x12-12	4PR TL	551	285	1700	20	12x8.5"

MOTORCYCLE TYRE



MT 506

LAWN&GARDEN

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
15x6.50-8	4PR TL	406	160	620	28	8x5.375"
22X9.50-10	4PR TL	560	236	1200	22	10x7"



MT 404

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
8X3.00-4	4PR TL	210	73	300	30	4x2.4"
9X3.50-4	2PR TL	229	94	300	50	4x2.4"
4.10/3.50-4	4PR TL	258	97	300	30	4x2.6"
11X6.00-5	4PR TL	260	129	440	50	5x3"
11X3.6-5	4PR TL	263	102	350	50	5x2.6"
11X3.00-5	4PR TL	269	81	253	50	5x2.1"
11X4.50-5	6PR TL	277	99	325	46	5x3"
11X600-5B	2PR TL	285	130	440	50	5x3"
*300X70-6	2PR TL	300	70	330	N	6x2.75"
12X4.00-5	4PR TL	304	107	530	50	5x3"
13X5.00-6	4PR TL	320	121	440	40	6x3.5"
13X6.5-6	4PR TL	335	154	460	28	6x4"
16X6.5-8	4PR TL	408	164	585	45	8x5.375"
4.80-8	4PR TL	408	117	1060	50	8x3.5"
20X10-10	4PR TL	503	234	1160	22	10x7.4"
20X9-12	6PR TL	508	207	1160	30	12x7"
24X12-12	6PR TL	610	309	1160	30	12x10.5"

MOTORCYCLE TYRE



MT 3204

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
22x11-12	4PR TL	559	279	1430	22	12x8.5"



MT 438

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
13x5.00-6	4PR TL	320	119	440	40	6x3.5"
15X6.00-6	4PR TL	363.2	147.5	570	30	6x4.5"
16x6.50-8	4PR TL	398.8	177.8	620	28	8x5.375"
18x8.50-8	4PR TL	452.1	216	815	22	8x7"
18x9.50-8	4PR TL	460	236.2	1040	24	8x7"
20x10-8	4PR TL	498	249	1190	22	8x7"
20x10-10	4PR TL	500.4	246.4	1160	22	10x8.0"



MT 2103

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
18X9.50-8	4PR TL	460	235	1034	24	8x7"
20X8.00-8	4PR TL	495	221	950	22	8x7"
20X10-8	4PR TL	508	254	1190	22	8x7"
20X12-8	4PR TL	499	289.5	1433	22	8x7.187"
22X10-10	4PR TL	551	233.7	1344	22	10x8.5"
22X12-10	4PR TL	551	289.5	1609	22	10x8.5"
22X11.00-10	4PR TL	550	267	1480	22	10x8"
23X9-12	4PR TL	574	241	1200	20	12x7"
23X10-12	4PR TL	579	295	1710	20	12x8.5"

MOTORCYCLE TYRE

MOTORCYCLE TYRE



MT 404

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
10X4.50-5	4PR TL	260	135	160	50	5x4.5"
11X7.10-5	4PR TL	290	195	170	50	5x7"
1.6X7.50-10	2PR TL	410	206	600	20	10x7"
18X7-10	2PR TL	456	215	700	20	10x7"



MT 599

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
70/65R5	2PR TL	218	70	220	30	8.5x2.75"
90/70R6.5	2PR TL	285	90	187	40	11.5x3.5"



MTK 01

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
180/40-5.5	4PR TL	257	182	330	20	7.1x5.5"



MTK 02

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
10X6.00-5.5	4PR TL	254	162	180	20	5.1x4.5"



MTK 03

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
1.6X7.7-10	2PR TL	400	174	600	41	10x6"
18X7.7-10	2PR TL	454	213	700	20	10x7"



MT 561

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)
8x2.00-5	2PR TL	203	50	330	70



MT 562

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)
7x2.00	2PR TL	178	50	330	50



MT 601

KARTING

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
16x6.50-8	4PR TL	400	162	415	20	8x5.375"

MOTORCYCLE TYRE



麗胎
MT 398

SNOW THROWER

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
4.10-4	2PR TL	280	94	300	20	4x2.6"
4.10/3.50-6	2PR TL	314	85	300	24	6x3.3"
	2PR TL	315	102	300	24	6x3.3"
	2PR TL	420	115	435	30	8x3.5"
	2PR TL	366	127	365	20	6x3.5"
	4PR TL	445	170	518	24	8x5.375"



MT 467

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
4.80-8	2PR TL	424	122	435	20	8x3.75"
13X5.00-6	2PR TL	325	127	295	20	6x3.5"
16X6.50-8	2PR TL	419	155	415	14	8x5.375"



MT 478

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
4.10-4	2PR TL	282	90	210	20	4x2.6"
4.10-6	2PR TL	325	102	290	24	6x3.3"
4.80-8	2PR TL	425	114	435	20	8x3.75"
13X5.00-6	2PR TL	325	119	295	20	6x3.5"
15X5.00-6	2PR TL	370	129	430	18	6x4"
16X6.50-8	2PR TL	404	162	415	14	8x5.375"
18X7.00-8	4PR TL	480	178	400	20	8x5.735"

MOTORCYCLE TYRE



MT 917

GOLFCAR

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
215/35-14	4PR TL	478	203	705	30	12x7"
215/40-12	4PR TL	503	195	705	30	14x7"
205/30-14	4PR TL	513	200	680	30	14x7"
205/40-14	4PR TL	523	199	680	30	14x7"



MT 168

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
13X5.00-6	4PR TL	335	126	350	35	6x3.5"



MT 539

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
15x6.00-6	2PR TL	370	157	418	20	6x4.5"
20x8.00-8	4PR TL	494	227	616	20	8x5.5"



MT 389

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
13x6.50-6	2PR TL	330	152	418	28	6x4.5"
15X6.00-6	2PR TL	370	157	462	20	6x4.5"
18X6.50-8	6PR TL	432	186	815	20	8x5.375"
18X8.50-8	4PR TL	450	215	815	15	8x7"
20X8.00-8	4PR TL	494	227	616	20	8x5.5"
190/50-12	6PR TL	510	203	1012	38	12x7"

MOTORCYCLE TYRE



MT 389A

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
18x8.50-8	4PR TL	450	215	815	15	8x7"



MT 993

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
205/30-14	4PR TL	513	200	680	30	14x7"
205/40-14	4PR TL	523	199	680	30	14x7"
205/50-10	4PR TL	478	190	680	30	10x6"
205/55-10	4PR TL	483	213	910	35	10x7"
205/65-10	4PR TL	528	221	910	35	10x7"
215/40-12	4PR TL	473	205	705	30	12x7"
215/50-12	4PR TL	527	207	705	30	12x7"
225/55B12	6PR TL	554	225	1235	55	12x7"



MT 557

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
4.00-4	2PR TL	280	100	230	24	4x2.6"
4.00-4	4PR TL	305	105	230	40	4x2.6"
13x4.00-6	2PR TL	322	102	205	30	6x3.25"
13x5.00-6	2PR TL	325	114	295	20	6x3.25"
13x6.00-6	4PR TL	345	148	396	31	6x4.5"
4.80-8	2PR TL	417	119	340	32	8x3.75"
16x6.50-8	4PR TL	420	165	615	28	8x5.375"
16x6.50-8	6PR TL	410	170	1500	90	8x5.375"
20X10-8	4PR TL	482	235	1227	22	8x7"
21X10-10	6PR TL	525	240	1160	40	10x7.5"
23x8.5-12	6PR TL	584	216	1060	40	12x 7"

MOTORCYCLE TYRE



MT 556

BAR&LUG

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
16X6.50-8	4PR TL	400	160	220	14	8x5.375"



MT 557A

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
16X6.50-8	12PR TL	410	165	1320	90	8x5.375"



MT 557B

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
20X8-10	4PR TL	507	196	900	44	10x6"



MT 557C

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
16X6.50-8	4PR TL	406	165	640	28	8x5.375"
18X8.50-10	4PR TL	447	208	795	22	10x7"
20X10-10	4PR TL	495	245	1160	40	10x7.5"

MOTORCYCLE TYRE



MT 395

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
23X8.5-12	4PR TL	584	213	1100	22	12x7"



MT 559

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
18X8.50-8	4PR TL	450	213	780	22	8x7"



MT 560

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
15X6.00-6	4PR TL	375	135	550	30	6x4"



MT 600

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
22X10-9	6PR TL	513	255	353	45	9x7.5"

MOTORCYCLE TYRE



MT 916

ATV TIRE

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
23x10-12	4PR TL	567	230	1060	20	12x7"
23x10-14	4PR TL	574	221	1060	20	14x7.0"



MT 502

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
20x9-12	6PR TL	506	204	1260	32	12x7"
20x10-10	6PR TL	498	230	1650	40	10x7"



MT 299

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
25X12.5-12	8PR TL	635	293	2000	30	12x10.5"

MOTORCYCLE TYRE

MOTORCYCLE TYRE



MT 915

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
22X10-14	4PR TL	528	220	815	36	14x7"
23X10-12	4PR TL	565	230	1000	20	12x7"
23X10-14	4PR TL	565	223	1350	20	14x7"



MT 590

PATHFINDER

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
25X11-12	4PR TL	636	267	660	24	12x8.5"



MT 602

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
22X7-11	6PR TL	530	178	247	45	11x5.5"



MT 530

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
145/70-6	4PR TL	350	160	160	24	6x4.5"
16x8.00-7	4PR TL	397	188	180	24	7x5"
21X7-10	6PR TL	540	200	280	24	10x5.5"
22X7-10	6PR TL	550	190	275	25	10x5.5"
22x9-10	4PR TL	552	224	500	22	10x7"
22x10.00-10	4PR TL	537	225	500	22	10x8"
22x11.00-10	4PR TL	537	225	500	22	10x8.5"
23x7.00-10	4PR TL	570	187	264	24	10x8.5"



MT 531

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
19X7-8	4PR TL	490	187	400	20	8x7"



MT 531A

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
16X8-7	4PR TL	397	188	160	24	7x5.5"

MOTORCYCLE TYRE

MOTORCYCLE TYRE



MT 532

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
145/70-6	4PR TL	350	160	176	24	6x4.5"
16x8.00-7	4PR TL	416	170	375	24	7x5.5"
20X10-10	4PR TL	510	223	300	15	10x7 "
21X7-10	4PR TL	525	187	284	30	10x6"



MT 536

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
18x9.5-8	4PR TL	457	241	253	24	8x7 "
19x7.00-8	4PR TL	482	178	253	24	8x6 "



MT 533

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
21X10-12	6PR TL	530	230	1060	20	12x7"



MT 585

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
25x8-12	6PR TL	630	203	330	30	12x7"
25x10-12	6PR TL	630	255	385	30	12x8"



MT 535

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
22X11-10	4PR TL	574	246	500	24	10x8"



MT 908

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
16x8-7	4PR TL	397	188	180	24	7x5.5"
19x7-8	4PR TL	483	187	204	24	8x7 "

MOTORCYCLE TYRE



MT 479

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
22x11-8	4PR TL	565	230	410	14	8x7"



MT 3055

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
25x8-12	6PR TL	638	191	1155	33	12x7"
25x10-12	6PR TL	635	245	595	33	12x8"



MT 127

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
25x8-12	6PR TL	630	203	330	30	12x7"
25x10-12	6PR TL	630	255	385	30	12x8"
26x9-12	6PR TL	641	226	481	45	12x7"
26x11-12	6PR TL	641	300	430	40	12x10"



MT 928

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
22X10-14	4PR TL	559	220	1100	36	14x7"

MOTORCYCLE TYRE



MT 101

TRAILER

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
4.80-8	4PR TL	400	116	390	30	8x3.75"
5.70-8	6PR TL	455	144	910	75	8x4.5"
4.80-12	4PR TL	511	121	780	60	12x3.5"



MT 102

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
175/80D13	6PR TL	600	180	1400	50	13x16"



MT 365

TRAILER

SIZE	PLY PATING	OD(MM)	S.W.(MM)	MAX LOAD CAPACITY(LBS)	MAX (PSI)	RIM (INCH)
6.00-9	10PR TL	540	165	1716	100	9x5.375"

